Doc
VG
123
q A42

NAVY DEPARTMENT • BUREAU OF MEDICINE AND SURGERY • MEDICAL STATISTICS DIVISION

# *Weekly* MORBIDITY REPORT

## SHORE STATIONS IN CONTINENTAL UNITED STATES

NAVMED 104

WEEK ENDING 25 January 1947

REPORT NO. 265

ARMY
MEDICAL
JUL 21 1947
LIBRARY

*RESTRICTED*——THE INFORMATION IN THIS REPORT IS NOT TO BE COMMUNICATED DIRECTLY OR INDIRECTLY TO THE PRESS OR TO ANYONE NOT IN THE ARMED FORCES

# WEEKLY MORBIDITY REPORT

This report presents (1) rates and frequencies of admissions for all causes and (2) incidence of selected communicable diseases in the continental naval stations and Marine Corps activities. All admissions and incidence rates are computed as annual rates per 1,000 reported average strength.

For individual stations the reports arepresented as numbers of cases, rather than rates, to facilitate evaluation of reports from small stations. The average strength of each individual station is furnished so that rates may be calculated where desired.

The admission rate, total for all causes, is calculated from the total number of A's (New Admissions) and RA's (Readmissions), which comprise the number of individuals taken up on the sick list from a duty status. It should be noted that these rates are computed on an annual basis and indicate the number of admissions per 1,000 average strength which would occur over a year's time if the current week's experience continued for a year. The formula for computation is as follows:

$$\frac{\text{Number of Admissions (A\&RA) During Week X 52}}{\text{Average Strength for Week}} \times 1{,}000$$

The incidence rate measures the number of new cases of a specific diagnosis or group of diagnoses occurring within the strength during a particular period. This rate is computed from the total of A (New Admissions), ACD (Admitted Contributory Disability), AD (Additional Diagnosis)and EC (Diagnosis Established or Corrected). The computation of rates for incidence follows the formula set up for admission rates by inserting incidence in place of admissions.

Since patients may be transferred to naval hospitals before a diagnosis is established, the category DU (Diagnosis Undetermined) is now included in this report. Some of the cases reported under Diagnosis Undetermined will ultimately be established and reported under one of the specific diagnoses included in this publication. Therefore, comparison of the incidence of DU's in a group of stations with the incidence of a specific diagnosis as reported by the hospitals serving those stations, will provide a rough indication of the diagnosis to which the DU's are eventually assigned. To facilitate such comparisons, hospitals are listed separately under the stations of each Naval District and included in the totals for the district.

Caution should be exercised in the interpretation of this data compared to that published prior to 23 November 1946 in the Weekly Morbidity Report. Previously, the rates were derived from A's (New admissions) only. Present reporting provides a more complete picture of morbidity in the continental activities of the Navy and Marine Corps.

ADMISSION RATES – ALL CAUSES AND
BY CONTINENTAL

(Admission Rates Include (A) New Admissions and
Both Rates are Computed on an

| NAVAL DISTRICT | ALL CAUSES | RESPIRATORY DISEASES | | | | | |
|---|---|---|---|---|---|---|---|
| | | TOTAL | Cat. Fever, Acute | Influenza | PNEUMONIA | | TONSILLITIS & PHARYNGITIS AC. |
| | | | | | Broncho & Lobar | Atypical Acute | |
| OTAL ALL NAVAL DISTRICTS | 555.5 | 147.4 | 86.0 | 0.7 | 1.4 | 3.7 | 55.5 |
| 1st Naval District | 433.6 | 109.2 | 68.3 | 6.8 | 0 | 0 | 34.1 |
| 3rd Naval District | 836.3 | 158.9 | 112.9 | 0 | 0 | 8.4 | 37.6 |
| 4th Naval District | 394.1 | 79.8 | 51.6 | 0 | 0 | 4.7 | 23.4 |
| Potomac & Severn | 459.4 | 103.5 | 55.0 | 1.6 | 1.6 | 1.6 | 43.7 |
| 5th Naval District | 605.4 | 192.2 | 121.5 | 0 | 3.3 | 9.9 | 57.4 |
| 6th Naval District | 764.7 | 102.8 | 53.4 | 0 | 0 | 8.2 | 41.1 |
| 7th Naval District | 252.9 | 61.7 | 33.9 | 0 | 0 | 3.1 | 24.7 |
| 8th Naval District | 481.9 | 120.9 | 74.3 | 0 | 1.7 | 3.4 | 41.4 |
| 9th Naval District | 686.5 | 219.2 | 64.5 | 3.2 | 6.4 | 0 | 145.0 |
| 11th Naval District | 690.9 | 206.5 | 134.1 | 0 | 0 | 2.7 | 69.7 |
| 12th Naval District | 430.9 | 135.9 | 67.9 | 0 | 1.9 | 0 | 66.0 |
| 13th Naval District | 473.8 | 73.8 | 35.0 | 0 | 0 | 0 | 38.8 |

ADMISSION RATES – ALL CAUSES AND
FOR INDIVIDUAL CONTINENTAL STATIONS WITH

ALL CAUSES

| STATION | RATE |
|---|---|
| USMC Base, San Diego, Cal. | 1,357.0 |
| NAS, Ottumwa, Iowa | 1,090.2 |
| NAS, Memphis, Tenn. | 1,029.1 |
| NavTraCen, San Diego, Cal. | 1,023.5 |
| USMC AirSta, Cherry Point, N.C. | 1,007.6 |

TOTAL RESPIRATORY

| STATION | RATE |
|---|---|
| USMC Base, San Diego, Cal. | 663.1 |
| NavTraCen, San Diego, Cal. | 560.2 |
| NavTraCen, Bainbridge, Md. | 503.2 |
| NAAS, Charlestown, R. I. | 406.8 |
| USMC AirSta, Cherry Point, N.C. | 365.1 |

PNEUMONIA, BRONCHO & LOBAR

| STATION | RATE |
|---|---|
| NavShipyd, Portsmouth, Va. | 80.0 |
| NATechTraCen, Memphis, Tenn. | 12.5 |
| NavTraCen, Bainbridge, Md. | 11.6 |
| NavTraCen, Great Lakes, Ill. | 10.9 |
| NavSta, Treasure Island, Cal. | 6.5 |

PNEUMONIA, ATYPICAL

| STATION | RATE |
|---|---|
| NavShipyd, Brooklyn, N.Y. | 29.2 |
| NATechTraCen, Jacksonville, Fla. | 16.6 |
| NavRecSta, Terminal Island, Cal. | 14.6 |
| NavTraCen, San Diego, Cal. | 6.9 |
| NavAirTraBases, Pensacola, Fla. | 6.6 |

INCIDENCE RATES BY SELECTED DIAGNOSES:
NAVAL DISTRICT

(RA) Re-admissions. Incidence Rates Include A, ACD, AD and EC.)

Annual Basis per 1000 strength

| SEPTIC SORE THROAT | SCARLET FEVER | RHEUMATIC FEVER | MEASLES | POLIO | CEREBRO-SPINAL FEVER MENIN-GOCOCCIC | GASTRO-ENTER-ITIS | DIAGNOSIS UNDETER-MINED | NAVAL DISTRICT |
|---|---|---|---|---|---|---|---|---|
| 0.7 | 1.8 | 2.8 | 0.9 | 0.4 | 0.4 | 9.6 | 79.2 | TOTAL ALL NAVAL DISTRICTS |
| 0 | 0 | 0 | 0 | 3.4 | 0 | 23.9 | 34.1 | 1st Naval District |
| 0 | 0 | 4.2 | 4.2 | 0 | 0 | 25.1 | 154.7 | 3rd Naval District |
| 0 | 0 | 0 | 0 | 0 | 0 | 42.2 | 61.0 | 4th Naval District |
| 1.6 | 0 | 0 | 1.6 | 0 | 0 | 4.8 | 131.0 | Potomac & Severn |
| 0 | 3.3 | 6.6 | 1.1 | 0 | 1.1 | 6.6 | 69.6 | 5th Naval District |
| 0 | 0 | 0 | 0 | 0 | 0 | 12.3 | 139.8 | 6th Naval District |
| 0 | 0 | 0 | 0 | 0 | 0 | 6.2 | 37.0 | 7th Naval District |
| 0 | 1.7 | 0 | 0 | 0 | 0 | 19.0 | 50.1 | 8th Naval District |
| 6.4 | 9.7 | 3.2 | 3.2 | 0 | 0 | 6.4 | 70.9 | 9th Naval District |
| 0 | 0 | 6.2 | 0 | 0.9 | 0 | 2.7 | 91.2 | 11th Naval District |
| 1.9 | 5.8 | 1.9 | 1.9 | 0 | 1.9 | 3.9 | 40.8 | 12th Naval District |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 81.6 | 13th Naval District |

INCIDENCE RATES BY SELECTED DIAGNOSES

AVERAGE STRENGTH OVER 500 WITH HIGHEST RATES

CATARRHAL FEVER, ACUTE

| STATION | RATE |
|---|---|
| USMC Base, San Diego, Cal. | 478.0 |
| NavTraCen, Bainbridge, Md. | 416.4 |
| NavTraCen, San Diego, Cal. | 366.5 |
| NAAS, Charlestown, R. I. | 271.2 |
| NavDiscipBaks, Portsmouth, N.H. | 241.9 |

TONSILLITIS & PHARYNGITIS, ACUTE

| STATION | RATE |
|---|---|
| NavTraCen, Great Lakes, Ill. | 207.5 |
| NavTraCen, San Diego, Cal. | 186.7 |
| USMC Base, San Diego, Cal. | 185.0 |
| USMC AirSta, Cherry Point, N.C. | 146.0 |
| NAS, Ottumwa, Iowa | 142.2 |

GASTRO-ENTERITIS, ACUTE

| STATION | RATE |
|---|---|
| NAS, Squantum, Mass. | 188.1 |
| NAAS, Charlestown, R. I. | 135.6 |
| NAS, Atlantic City, N. J. | 100.8 |
| NAS, Glenview, Ill. | 76.5 |
| NAS, St. Simons Island, Ga. | 75.4 |

DIAGNOSIS UNDETERMINED

| STATION | RATE |
|---|---|
| DistHdqrs, NYK | 312.1 |
| NAS, Memphis, Tenn. | 242.1 |
| NavShipyd, Portsmouth, Va. | 240.0 |
| PhibTraBase, Little Creek, Va. | 220.6 |
| NavOrdTestSta, Inyokern, Cal. | 208.2 |

NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A – RA; Selected Diagnoses – A, ACD, AD and EC.)

| NAVAL DISTRICT AND STATION | STRENGTH | ALL CAUSES | RESPIRATORY DISEASES | | | | | | Septic Sore Throat | Scarlet Fever | Rheumatic Fever | Measles | Polio | Cerebrospinal Fever Meningococcic | Gastro-enteritis Acute | Diagnosis Undetermined |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | Cat. Fever Acute | Influenza | PNEUMONIA | | Tonsillitis & Pharyngitis Ac. | | | | | | | | |
| | | | | | | Broncho & Lobar | Atyp. Acute | | | | | | | | | |
| TOTAL FIRST NAVAL DISTRICT | 15,231 | 127 | 32 | 20 | 2 | - | - | 10 | - | - | - | - | 1 | - | 7 | 10 |
| STATIONS OVER 500 STRENGTH | 11,709 | 112 | 26 | 17 | 2 | - | - | 7 | - | - | - | - | - | - | 7 | 7 |
| DistHdqrs, Boston, Mass. | 704 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavRecSta, Boston, Mass. | 1,989 | 23 | 4 | 1 | - | - | - | 3 | - | - | - | - | - | - | 2 | 3 |
| NavShipyd, Boston, Mass. | 556 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| NAS, Squantum, Mass. | 553 | 5 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | 2 | 1 |
| NavDiscipBaks, Portsmouth, N. H. | 1,935 | 23 | 9 | 8 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| NAAS, Charlestown, R. I. | 767 | 12 | 6 | 4 | 1 | - | - | 1 | - | - | - | - | - | - | 2 | - |
| NavTraSta, Newport, R. I. | 1,605 | 5 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 |
| NAS, Quonset Point, R. I. | 3,600 | 43 | 5 | 3 | - | - | - | 2 | - | - | - | - | - | - | 1 | 1 |
| STATIONS UNDER 500 STRENGTH | 1,427 | 8 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 2 |
| HOSPITALS | 2,095 | 7 | 4 | 2 | - | - | - | 2 | - | - | - | - | 1 | - | - | 1 |
| NavHosp, Chelsea, Mass. | 1,323 | 5 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 1 |
| NavHosp, Portsmouth, N. H. | 216 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, Newport, R. I. | 556 | - | 2 | 1 | - | - | - | 1 | - | - | - | - | 1 | - | - | - |
| TOTAL THIRD NAVAL DISTRICT | 12,435 | 200 | 38 | 27 | - | - | 2 | 9 | - | - | 1 | 1 | - | - | 6 | 37 |
| STATIONS OVER 500 STRENGTH | 8,823 | 75 | 27 | 19 | - | - | 1 | 7 | - | - | - | - | - | - | 2 | 13 |
| SuBase, New London, Conn. | 2,889 | 24 | 4 | 4 | - | - | - | - | - | - | - | - | - | - | 1 | 5 |
| NavRecSta, Brooklyn, N. Y. | 3,322 | 28 | 21 | 14 | - | - | - | 7 | - | - | - | - | - | - | 1 | - |
| NavShipyd, Brooklyn, N. Y. | 1,779 | 13 | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - | - | 3 |
| DistHdqrs, NYK | ~833 | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | 5 |
| STATIONS UNDER 500 STRENGTH | 1,511 | 15 | 4 | 4 | - | - | - | - | - | - | - | - | - | - | 1 | 1 |
| HOSPITALS | 2,101 | 110 | 7 | 4 | - | - | 1 | 2 | - | - | 1 | 1 | - | - | 3 | 23 |
| NavHosp, Brooklyn, N. Y. | 893 | 4 | 2 | 2 | - | - | - | - | - | - | 1 | - | - | - | 2 | - |
| NavHosp, St. Albans, N. Y. | 1,208 | 106 | 5 | 2 | - | - | 1 | 2 | - | - | - | 1 | - | - | 1 | 23 |

NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

| NAVAL DISTRICT AND STATION | STRENGTH | ALL CAUSES | RESPIRATORY DISEASES | | | | | | Septic Sore Throat | Scarlet Fever | Rheumatic Fever | Measles | Polio | Cerebrospinal Fever Meningococcic | Gastro-enteritis Acute | Diagnosis Undetermined |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | Cat. Fever Acute | Influenza | PNEUMONIA | | Tonsillitis & Pharyngitis Ac. | | | | | | | | |
| | | | | | | Broncho & Lobar | Atyp. Acute | | | | | | | | | |
| TOTAL FOURTH NAVAL DISTRICT | 11,083 | 84 | 17 | 11 | - | - | 1 | 5 | - | - | - | - | - | - | 9 | 13 |
| STATIONS OVER 500 STRENGTH | 8,290 | 59 | 6 | 4 | - | - | - | 2 | - | - | - | - | - | - | 5 | 11 |
| NAS, Atlantic City, N. J. | 1,548 | 15 | - | - | - | - | - | - | - | - | - | - | - | - | 3 | - |
| NAS, Lakehurst, N. J. | 1,423 | 9 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | 1 | 3 |
| NavRecSta, Phila | 3,669 | 26 | 4 | 2 | - | - | - | 2 | - | - | - | - | - | - | - | 6 |
| NavShipyd, Phila | 1,650 | 9 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | 1 | 2 |
| STATIONS UNDER 500 STRENGTH | 1,483 | 16 | 6 | 5 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| HOSPITALS | 1,310 | 9 | 5 | 2 | - | - | 1 | 2 | - | - | - | - | - | - | 4 | 2 |
| NavHosp, Phila | 1,310 | 9 | 5 | 2 | - | - | 1 | 2 | - | - | - | - | - | - | 4 | 2 |
| TOTAL POTOMAC RIVER COMMAND | 26,005 | 246 | 58 | 31 | 1 | 1 | 1 | 24 | 1 | - | - | 1 | - | - | - | 77 |
| STATIONS OVER 500 STRENGTH | 23,816 | 204 | 42 | 22 | - | - | 1 | 19 | - | - | - | 1 | - | - | - | 47 |
| NAS, Anacostia, D. C. | 1,228 | 8 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| NavResLab, Anacostia, D. C. | 1,027 | 5 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 1 |
| MarBaks, Washington, D. C. | 584 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavDisp, Nav Dept., Washington, D. C. | 8,550 | 65 | 12 | 5 | - | - | 1 | 6 | - | - | - | - | - | - | - | 11 |
| NavGun, Washington, D. C. | 1,148 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| NavRecSta, Washington, D. C. | 3,143 | 18 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | 9 |
| NAS, Patuxent River, Md. | 2,910 | 44 | 8 | 3 | - | - | - | 5 | - | - | - | - | - | - | - | 11 |
| USMC AirSta, Quantico, Va. | 1,823 | 22 | 8 | 7 | - | - | - | 1 | - | - | - | 1 | - | - | - | 4 |
| MarBaks, Quantico, Va. | 3,403 | 32 | 9 | 4 | - | - | - | 5 | - | - | - | - | - | - | - | 9 |
| STATIONS UNDER 500 STRENGTH | 1,518 | 17 | 3 | - | - | - | - | 3 | - | - | - | - | - | - | - | 1 |
| HOSPITALS | 671 | 25 | 13 | 9 | 1 | 1 | - | 2 | 1 | - | - | - | - | - | - | 29 |
| NavHosp, Bethesda, Md. | 561 | 24 | 12 | 8 | 1 | 1 | - | 2 | - | - | - | - | - | - | - | 29 |
| NavHosp, Quantico, Va. | 110 | 1 | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - |

# NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES; BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

| NAVAL DISTRICT AND STATION | STRENGTH | ALL CAUSES | RESPIRATORY DISEASES | | | | | | Septic Sore Throat | Scarlet Fever | Rheumatic Fever | Measles | Polio | Cerebrospinal Fever Meningococcic | Gastro-enteritis Acute | Diagnosis Undetermined |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | Cat. Fever Acute | Influenza | PNEUMONIA | | Tonsillitis & Pharyngitis Ac. | | | | | | | | |
| | | | | | | Broncho & Lobar | Atyp. Acute | | | | | | | | | |
| TOTAL SEVERN RIVER COMMAND | 6,141 | 38 | 6 | 3 | - | - | - | 3 | - | - | - | - | - | - | 3 | 4 |
| STATIONS OVER 500 STRENGTH | 6,003 | 37 | 6 | 3 | - | - | - | 3 | - | - | - | - | - | - | 3 | 4 |
| USNA, Annapolis, Md. | 6,003 | 37 | 6 | 3 | - | - | - | 3 | - | - | - | - | - | - | 3 | 4 |
| HOSPITALS | 138 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, Annapolis, Md. ###### | 138 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOTAL P & S RIVER COMMANDS | 32,146 | 284 | 64 | 34 | 1 | 1 | 1 | 27 | 1 | - | - | 1 | - | - | 3 | 81 |
| TOTAL FIFTH NAVAL DISTRICT | 47,072 | 548 | 174 | 110 | - | 3 | 9 | 52 | - | 3 | 6 | 1 | - | 1 | 6 | 63 |
| STATIONS OVER 500 STRENGTH | 42,640 | 479 | 147 | 99 | - | 3 | - | 45 | - | - | - | - | - | - | 5 | 57 |
| NavTraCen, Bainbridge, Md. | 8,991 | 144 | 87 | 72 | - | 2 | - | 13 | - | - | - | - | - | - | 2 | 13 |
| USMC Air Sta, Cherry Point, N.C. | 3,561 | 69 | 25 | 15 | - | - | - | 10 | - | - | - | - | - | - | 1 | 6 |
| Camp Lejeune, New River, N. C. | 12,522 | 60 | 6 | 3 | - | - | - | 3 | - | - | - | - | - | - | - | 12 |
| PhibTraBase, Little Creek, Va. | 1,414 | 16 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 | 6 |
| NavAirBases, Nor | 9,221 | 98 | 20 | 7 | - | - | - | 13 | - | - | - | - | - | - | - | 4 |
| NavRe-TrainComd, Nor | 1,825 | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 |
| NavSta, Nor | 4,456 | 66 | 6 | 1 | - | - | - | 5 | - | - | - | - | - | - | 1 | 10 |
| NorShipyd, Portsmouth, Va. | 650 | 8 | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | 3 |
| STATIONS UNDER 500 STRENGTH | 2,708 | 36 | 15 | 9 | - | - | - | 6 | - | 1 | - | - | - | 1 | - | 5 |
| HOSPITALS | 1,724 | 33 | 12 | 2 | - | - | 9 | 1 | - | 2 | 6 | 1 | - | - | 1 | 1 |
| NavHosp, Bainbridge, Md. | 761 | 30 | 8 | 1 | - | - | 6 | 1 | - | 2 | 5 | - | - | - | 1 | 1 |
| NavHosp, Camp Lejeune, N. C. | 351 | - | 3 | - | - | - | 3 | - | - | - | 1 | 1 | - | - | - | - |
| NavHosp, Nor | 323 | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, Portsmouth, Va. | 289 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

| NAVAL DISTRICT AND STATION | STRENGTH | ALL CAUSES | RESPIRATORY DISEASES | | | | | | Septic Sore Throat | Scarlet Fever | Rheumatic Fever | Measles | Polio | Cerebrospinal Fever Meningococcic | Gastro-enteritis Acute | Diagnosis Undetermined |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | Cat. Fever Acute | Influ-enza | PNEUMONIA | | Tonsil-litis & Pharyn-gitis Ac. | | | | | | | | |
| | | | | | | Broncho & Lobar | Atyp. Acute | | | | | | | | | |
| TOTAL SIXTH NAVAL DISTRICT | 12,648 | 186 | 25 | 13 | - | - | 2 | 10 | - | - | - | - | - | - | 3 | 34 |
| STATIONS OVER 500 STRENGTH | 9,715 | 90 | 14 | 10 | - | - | - | 4 | - | - | - | - | - | - | 2 | 8 |
| NAS, St. Simons Island, Ga. | 690 | 7 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 |
| NavRecSta, Charleston, S. C. | 2,017 | 20 | 2 | - | - | - | - | 2 | - | - | - | - | - | - | - | - |
| MarBaks, Parris Island, S. C. | 7,008 | 63 | 12 | 10 | - | - | - | 2 | - | - | - | - | - | - | 1 | 7 |
| STATIONS UNDER 500 STRENGTH | 1,432 | 19 | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - | - | 2 |
| HOSPITALS | 1,501 | 77 | 9 | 2 | - | - | 1 | 6 | - | - | - | - | - | - | 1 | 24 |
| NavHosp, Dublin, Ga. | 732 | 3 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| NavHosp, Charleston, S. C. | 494 | 74 | 8 | 1 | - | - | 1 | 6 | - | - | - | - | - | - | 1 | 23 |
| NavHosp, Parris Island. S. C. | 275 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TOTAL SEVENTH NAVAL DISTRICT | 16,861 | 82 | 20 | 11 | - | - | 1 | 8 | - | - | - | - | - | - | 2 | 12 |
| STATIONS OVER 500 STRENGTH | 15,586 | 79 | 19 | 10 | - | - | 1 | 8 | - | - | - | - | - | - | 2 | 12 |
| NAS, Banana River, Fla. | 1,944 | 16 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| NAAS, Cecil Field, Fla. | 1,046 | 3 | 2 | - | - | - | - | 2 | - | - | - | - | - | - | - | - |
| NavSta, Green Cove Springs, Fla. | 665 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| NAS, Jacksonville, Fla. | 5,438 | 14 | 7 | 5 | - | - | - | 2 | - | - | - | - | - | - | 2 | 5 |
| NATechTraCen, Jacksonville, Fla. | 3,129 | 28 | 5 | 2 | - | - | 1 | 2 | - | - | - | - | - | - | - | 3 |
| NAS, Key West, Fla. | 1,338 | 4 | 3 | 1 | - | - | - | 2 | - | - | - | - | - | - | - | - |
| SuBase, Key West, Fla. | 1,281 | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| NAS, Miami, Fla. | 745 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| STATIONS UNDER 500 STRENGTH | 381 | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| HOSPITALS | 894 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, Jacksonville, Fla. | 651 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, Key West, Fla. | 243 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

| NAVAL DISTRICT AND STATION | STRENGTH | ALL CAUSES | RESPIRATORY DISEASES | | | | | | Septic Sore Throat | Scarlet Fever | Rheumatic Fever | Measles | Polio | Cerebrospinal Fever Meningococcic | Gastro-enteritis Acute | Diagnosis Undetermined |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | Cat. Fever Acute | Influenza | PNEUMONIA | | Tonsillitis & Pharyngitis Ac. | | | | | | | | |
| | | | | | | Broncho & Lobar | Atyp. Acute | | | | | | | | | |
| TOTAL EIGHTH NAVAL DISTRICT | 30,108 | 279 | 70 | 43 | - | 1 | 2 | 24 | - | 1 | - | - | - | - | 11 | 29 |
| STATIONS OVER 500 STRENGTH | 26,076 | 223 | 52 | 34 | - | 1 | 1 | 16 | - | - | - | - | - | - | 9 | 25 |
| NAS, Pensacola, Fla. | 2,265 | 22 | 7 | 3 | - | - | - | 4 | - | - | - | - | - | - | 3 | - |
| NavAirTraBases, Pensacola, Fla. | 7,881 | 46 | 10 | 8 | - | - | 1 | 1 | - | - | - | - | - | - | 3 | 3 |
| NAS, Memphis, Tenn. | 859 | 17 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | 4 |
| NATechTraCen, Memphis, Tenn. | 4,168 | 28 | 2 | - | - | 1 | - | 1 | - | - | - | - | - | - | 1 | 6 |
| NATechTraCen, Corpus Christi, Tex. | 2,915 | 33 | 11 | 7 | - | - | - | 4 | - | - | - | - | - | - | 1 | 3 |
| NavAirTraBases, Corpus Christi, Tex. | 7,286 | 70 | 20 | 14 | - | - | - | 6 | - | - | - | - | - | - | 1 | 8 |
| NAS, Dallas, Tex. | 702 | 7 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| STATIONS UNDER 500 STRENGTH | 2,410 | 49 | 16 | 7 | - | - | 1 | 8 | - | - | - | - | - | - | 2 | 4 |
| HOSPITALS | 1,622 | 7 | 2 | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| NavHosp, Pensacola, Fla. | 153 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, Memphis, Tenn. | 503 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, Corpus Christi, Tex. | 385 | 4 | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - |
| NavHosp, Houston, Tex. | 581 | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| TOTAL NINTH NAVAL DISTRICT | 16,133 | 213 | 68 | 20 | 1 | 2 | - | 45 | 2 | 3 | 1 | 1 | - | - | 2 | 22 |
| STATIONS OVER 500 STRENGTH | 12,736 | 177 | 60 | 14 | 1 | 2 | - | 43 | - | 3 | 1 | 1 | - | - | 1 | 18 |
| NAS, Glenview, Ill | 680 | 9 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | 1 | - |
| NavTraCen, Great Lakes, Ill. | 9,523 | 131 | 51 | 10 | 1 | 2 | - | 38 | - | 3 | 1 | 1 | - | - | - | 17 |
| NAS, Ottumwa, Iowa | 1,097 | 23 | 6 | 3 | - | - | - | 3 | - | - | - | - | - | - | - | 1 |
| NAS, Olathe, Kans. | 900 | 8 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| NAS, Minneapolis, Minn. | 536 | 6 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| STATIONS UNDER 500 STRENGTH | 2,917 | 29 | 5 | 4 | - | - | - | 1 | 1 | - | - | - | - | - | - | 4 |
| HOSPITALS | 480 | 7 | 3 | 2 | - | - | - | 1 | 1 | - | - | - | - | - | 1 | - |
| NavHosp, Great Lakes, Ill. | 480 | 7 | 3 | 2 | - | - | - | 1 | 1 | - | - | - | - | - | 1 | - |

NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

| NAVAL DISTRICT AND STATION | STRENGTH | ALL CAUSES | RESPIRATORY DISEASES | | | | | | Septic Sore Throat | Scarlet Fever | Rheumatic Fever | Measles | Polio | Cerebrospinal Fever Meningococcic | Gastro-enteritis Acute | Diagnosis Undetermined |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | Cat. Fever Acute | Influenza | PNEUMONIA | | Tonsillitis & Pharyngitis Ac. | | | | | | | | |
| | | | | | | Broncho & Lobar | Atyp. Acute | | | | | | | | | |
| TOTAL ELEVENTH NAVAL DISTRICT | 58,175 | 773 | 231 | 150 | - | - | 3 | 78 | - | - | 7 | - | 1 | - | 3 | 102 |
| STATIONS OVER 500 STRENGTH | 52,578 | 699 | 225 | 147 | - | - | 2 | 76 | - | - | 1 | - | - | - | 3 | 84 |
| PhibTraBase, Coronado, Cal. | 1,502 | 14 | 3 | 3 | - | - | - | - | - | - | - | - | - | - | - | 2 |
| USMC AirSta, El Toro, Cal. | 6,645 | 81 | 42 | 24 | - | - | - | 18 | - | - | - | - | - | - | 1 | 10 |
| NavOrdTestSta, Inyokern, Cal. | 999 | 14 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 4 |
| NAS, Los Alamitos, Cal. | 652 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| USMC AirSta, Miramar, Cal. | 1,942 | 15 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 1 |
| MT&RC, Oceanside, Cal. | 5,327 | 72 | 18 | 12 | - | - | - | 6 | - | - | - | - | - | - | - | 6 |
| NAMissleTestSta, Point Mugu, Cal. | 704 | 9 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| NT&DC, Port Hueneme, Cal. | 2,525 | 21 | 5 | 2 | - | - | - | 3 | - | - | - | - | - | - | - | 5 |
| DistDisp, San Diego, Cal. | 524 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| USMC Base, San Diego, Cal. | 3,372 | 88 | 43 | 31 | - | - | - | 12 | - | - | - | - | - | - | - | 10 |
| NAS, San Diego, Cal. | 5,662 | 65 | 7 | 4 | - | - | - | 3 | - | - | - | - | - | - | 1 | 7 |
| NavFltSonarSch, San Diego, Cal. | 847 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| NavSta, San Diego, Cal. | 8,585 | 100 | 7 | 5 | - | - | - | 2 | - | - | - | - | - | - | - | 20 |
| NavTraCen, San Diego, Cal. | 7,519 | 148 | 81 | 53 | - | - | 1 | 27 | - | - | - | - | - | - | 1 | 9 |
| NAAS, San Ysidro, Cal. | 830 | 9 | 4 | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| NavDiscipBaks, Terminal Island, Cal. # | 1,395 | 10 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| NavRecSta, Terminal Island, Cal. | 3,548 | 45 | 8 | 5 | - | - | 1 | 2 | - | - | 1 | - | - | - | - | 6 |
| STATIONS UNDER 500 STRENGTH | 2,547 | 30 | 3 | 3 | - | - | - | - | - | - | - | - | - | - | - | 10 |
| HOSPITALS | 3,050 | 44 | 3 | - | - | - | 1 | 2 | - | - | 6 | - | 1 | - | - | 8 |
| NavHosp, Corona, Cal. | 1,398 | 33 | 2 | - | - | - | 1 | 1 | - | - | 6 | - | 1 | - | - | 6 |
| NavHosp, Long Beach, Cal. | 672 | 4 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| NavHosp, Oceanside, Cal. | 274 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, San Diego, Cal. | 706 | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| TOTAL TWELFTH NAVAL DISTRICT | 26,789 | 222 | 70 | 35 | - | 1 | - | 34 | 1 | 3 | 1 | 1 | - | 1 | 2 | 21 |
| STATIONS OVER 500 STRENGTH | 21,838 | 178 | 47 | 25 | - | 1 | - | 21 | 1 | 2 | - | - | - | 1 | 1 | 18 |
| NavAirBases, Alameda, Cal. | 6,699 | 44 | 16 | 5 | - | - | - | 11 | 1 | - | - | - | - | - | - | 2 |
| NavRe-TrainComd, Mare Island, Cal. # | 712 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavShipyd, Mare Island, Cal. | 2,583 | 30 | 6 | 5 | - | - | - | 1 | - | - | - | - | - | - | - | 4 |
| NAS, Moffett Field, Cal. | 1,999 | 23 | 5 | 3 | - | - | - | 2 | - | - | - | - | - | - | - | 1 |
| DistHdqrs, SanFran | 969 | 10 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

NUMBER OF ADMISSIONS FOR ALL CAUSES AND INCIDENCE FOR SELECTED DIAGNOSES;
BY CONTINENTAL NAVAL DISTRICT AND STATION

(All Causes A - RA; Selected Diagnoses - A, ACD, AD and EC.)

| NAVAL DISTRICT AND STATION | STRENGTH | ALL CAUSES | RESPIRATORY DISEASES | | | | | | Septic Sore Throat | Scarlet Fever | Rheumatic Fever | Measles | Polio | Cerebrospinal Fever Meningococcic | Gastro-enteritis Acute | Diagnosis Undetermined |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Total | Cat. Fever Acute | Influenza | PNEUMONIA: Broncho & Lobar | PNEUMONIA: Atyp. Acute | Tonsillitis & Pharyngitis Ac. | | | | | | | | |
| 12th N.D. (Cont'd) | | | | | | | | | | | | | | | | |
| NavShipyd, SanFran # | 924 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| NavSta, Treasure Island, Cal. | 7,952 | 69 | 20 | 12 | - | 1 | - | 7 | - | 2 | - | - | - | 1 | 1 | 10 |
| STATIONS UNDER 500 STRENGTH | 2,952 | 34 | 13 | 4 | - | - | - | 9 | - | 1 | - | - | - | - | 1 | 2 |
| HOSPITALS | 1,999 | 10 | 10 | 6 | - | - | - | 4 | - | - | 1 | 1 | - | - | - | 1 |
| NavHosp, Mare Island, Cal. | 262 | 5 | 4 | 2 | - | - | - | 2 | - | - | 1 | 1 | - | - | - | 1 |
| NavHosp, Oakland, Cal. | 1,538 | 4 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| NavHosp, Treasure Island, Cal. | 199 | 1 | 4 | 3 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| TOTAL THIRTEENTH NAVAL DISTRICT | 13,388 | 122 | 19 | 9 | - | - | - | 10 | - | - | - | - | - | - | - | 21 |
| STATIONS OVER 500 STRENGTH | 11,305 | 101 | 14 | 7 | - | - | - | 7 | - | - | - | - | - | - | - | 20 |
| NavSta, Astoria, Oreg. | 1,501 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| NavBerthFac, Portland, Oreg. | 1,408 | 26 | 4 | 1 | - | - | - | 3 | - | - | - | - | - | - | - | - |
| NavShipyd, Bremerton, Wash. | 1,927 | 17 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | 3 |
| NAS, Seattle, Wash. | 1,374 | 10 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| NavSta, Seattle, Wash. | 3,797 | 35 | 6 | 4 | - | - | - | 2 | - | - | - | - | - | - | - | 12 |
| NAS, Whidbey Island, Wash. | 1,298 | 9 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 3 |
| STATIONS UNDER 500 STRENGTH | 1,196 | 13 | 3 | 1 | - | - | - | 2 | - | - | - | - | - | - | - | 1 |
| HOSPITALS | 887 | 8 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - |
| NavHosp, Astoria, Oreg. | 75 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| NavHosp, Bremerton, Wash. | 513 | 7 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| NavHosp, Seattle, Wash. | 294 | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |

The symbol # indicates that current data are not available.
# Indicates one week previous.
## Two weeks previous, etc.

# WEEKLY MORBIDITY REPORT

## INCIDENCE OF RARE COMMUNICABLE DISEASES OF SPECIAL INTEREST

TOTAL JAUNDICE, ACUTE, INFECTIOUS . . . . . 7

NAS, Lakehurst, N. J. . . . . 1
MarCorCruit, Phila . . . . . 1
NavHosp, Phila . . . . . 1
USNA, Annapolis, Md. . . . . 1
NavAirTraBases, Corpus Christi, Tex. . . . . 1

NavHosp, Houston, Tex. . . . . 1
NavAirBases, Alameda, Cal. . . . . 1

TOTAL TYPHOID FEVER . . . . . 1

NavHosp, Newport, R. I. . . . . 1

TOTAL DIPHTHERIA . . . . . 1

NavHosp, Phila . . . . . 1

RESTRICTED

# NAVAL DISTRICTS